## LOADALL COMPACT CONSTRUCTION RANGE





GROSS POWER

19kW - 55kW

LIFT CAPACITY
1400kg to 2500kg

LIFT HEIGHT
4m - 6m


## ULTIMATE PRODUCTIVITY

Our Compact Loadall range provides powerful performance and versatility with excellent manoeuvrability, whilst making the most of every drop of fuel.



### MAXIMUM MANOEUVRABILITY

A compact wheelbase and tight steering lock angles ensure excellent manoeuvrability in tight spaces.



## ULTIMATE STRENGTH

We've used innovative, state-of-the-art design and manufacturing processes to ensure that strength, durability and reliability are built in.









## **EXCEPTIONAL DURABILITY**

Through rigorous testing and validation programs, JCB Loadalls are built to last.

## **ULTIMATE COMFORT**

Our Compact Loadall cabs are great places to work, with high levels of comfort, easy-to-use controls and good visibility, keeping operators productive.



#### **MAXIMUM CONTROL**

Single-lever joystick controls with proportional auxiliaries are easy to use for precise control.



## ULTIMATE EFFICIENCY

Our Compact Loadall range offers extremely low operational costs in the short term, whilst holding their value in the long term.









#### MAXIMUM RESALE

Our continuous innovation in all areas of design and build keep resale values healthy.

## ULTIMATE SAFETY

Safety is paramount on any site. That's why we've designed our new JCB Compact Loadall range to protect machine, operator and bystanders alike.



#### **MAXIMUM SECURITY**

Our Adaptive Load Control system automatically prevents machines from tipping forward during heavy load handling.




## LOADALL COMPACT CONSTRUCTION RANGE



## SPECIFICATION

MODEL RANGE		514-40	516-40	520-40	525-60
Lift height	m	4	4	4	6
Lift capacity	kg	1400	1600	2000	2500
Maximum speed	kph	15	15	15	25
Maximum engine power	kW	19	19	19	55
Lift capacity @ full reach	kg	525	700	900	750
Lift capacity @ full height	kg	1300	1600	2000	2000
Reach with I tonne payload	m	1.51	1.93	2.1	3



## STANDARD FEATURES

- Stage V compliant engine
- No complex aftertreatment or emission control systems
- Permanent 4-wheel drive
- 4-wheel steering as standard
- LiveLink telematics
- Variable hydrostatic transmission
- Wide range of carriage options available
- Ultra compact design



# ULTIMATE PERFORMANCE IN A SMALL PACKAGE

**REQUEST A QUOTE** 

