TRACKED EXCAVATORS | JS160/180 NLC/LC

JCB

MAX OPERATING WEIGHT	MAX ENGINE POWER	MAX BUCKET CAPACITY
20480kg	**97kW (130hp)**	**0.99m³**

STRENGTH BUILT IN.

Our machines have durability built in with a high-strength, fully-welded, X-frame undercarriage, rigid upper structure and doors that stand the test of time.



We've built 750,000 DIESELMAX engines since 2004, so they're proven across the toughest applications and environments.

PRODUCTIVITY & PERFORMANCE.

Saving money and time is more important than ever, so we've made sure the JS160/180's componentry – including the DIESELMAX Stage V – works in perfect harmony. In turn, you get a machine that's as efficient and productive as possible.

FUEL SAVING

Auto-Idle technology automatically reduces engine speed when hydraulics aren't in use.

EASY TO USE.

The light, intuitive controls of both machines are easy to use, while the 7" colour screen keeps the operator in full control, equalling greater productivity.

EXCELLENT VISIBILITY

Excellent forward visibility and clear view of the front right track provides safe trenching and manoeuvring.

LESS SERVICING, MORE SERVICE.

We've designed the JS160 and JS180 to be low maintenance and easily serviceable, making them affordable, efficient and highly productive, with more uptime.

EASY MAINTENANCE

The engine oil, hydraulic oil and fuel filters are centrally located for fast, easy servicing.

JCB LIVELINK.

JCB LiveLink is an innovative telematics system that lets you monitor and manage your machines remotely online, via your laptop, tablet or smartphone.

WORK SMARTER

Whether it's improving performance, planning maintenance, or keeping your machines secure, JCB LiveLink can help.

TRACKED EXCAVATORS | JS160/180 NLC/LC

SPECIFICATION.

MODEL	JS160	JS180
Machine weight*	18433kg	19671kg
Max. bucket tearout*	85.8kNm	74.7kNm
Max. digging reach*	8514mm	8908mm
Max. digging depth*	5799mm	6252mm
Travel speed (high/low)	5.5 / 3.2 km/h	
Tractive effort	167kNm	

*0.87m³ GP bucket, 5.15m monoboom, operator, full fuel tank, 700mm tracks and 3.05m dipper.

STANDARD FEATURES.

- JCB 448 Stage V DIESELMAX engine
- 7" colour screen
- Rear camera
- Heated air suspension seat
- Climate control
- Automatic Engine Shutdown
- 2Go Hydraulic Isolation System
- Cushioned boom and dipper ends
- Boom and dipper HBCVs
- Radio

JS160/180 TRACKED EXCAVATORS

FIND OUT MORE

REQUEST A QUOTE

www.jcb.com

31064 / en-GB / Issue 2

©2023 J C Bamford Excavators Ltd.